Vv556 Methods of Applied Mathematics I

Linear Operators

Assignment 5

Date Due: 2:00 PM, Thursday, the 26th of October 2017

This assignment has a total of (8 Marks).

Exercise 5.1

Let $x \in \ell^2$, i.e., $x = (x_n)$ is a square-summable sequence. Define the operator $L: \ell^2 \to \ell^2$ by Lx = y,

$$y_n = \sum_{m=1}^{\infty} a_{nm} x_m,$$
 $n = 1, 2, 3, \dots$

where the coefficients a_{nm} , $n, m \in \mathbb{N} \setminus \{0\}$ satisfy $\sum_{m,n=1}^{\infty} |a_{nm}|^2 =: M^2 < \infty$. Any such L is called a *Hilbert*-

Schmidt operator on ℓ^2 .

- i) Verify that $y \in \ell^2$, i.e., that L is well-defined. (2 Marks)
- ii) Find the matrix elements $L_{ij} := \langle e_i, Le_j \rangle$ of L with respect to the standard basis $\{e_n\}_{n \in \mathbb{N}}$, with $e_n :=$ $(0, \ldots, 0, 1, 0, \ldots)$, where the 1 is in the *n*th position. (1 Mark)
- iii) Show that L is bounded with $||L|| \leq M$. (2 Marks)
- iv) Show that L defined by

$$Lx = \left(x_1, \frac{1}{2}x_2, \frac{1}{3}x_3, \frac{1}{4}x_4, \dots\right)$$

is a Hilbert-Schmidt operator. Find the operator norm ||L||. (3 Marks)

